POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS				
Total 2003 Population 109,010  Population per square mile 241	Community Options and MA Waiver as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 61.4 5.6				
County ranking in state (1-72) 11  Age Female Male Total 0-14 9,720 10,300 20,010 15-19 5,030 4,500 9,530	Clients Costs COP 52 \$423,995  MA Waiver * CIP1A 2 \$106,112 CIP1B 27 \$312,882	Total staff 61.4 5.6 Administrative 9.8 0.9 Public health nurses 14.0 1.3 Other prof. staff 18.2 1.7 Technical/Paraprof. 0.8 0.1 Support staff 18.6 1.7				
20-24     6,660     6,030     12,690       25-29     3,230     3,470     6,700       30-34     3,100     3,290     6,390       35-39     3,560     3,580     7,140       40-44     4,080     3,940     8,020       45-54     7,690     7,530     15,230	MA Waiver *       CIP1A       2       \$106, 112         CIP1B       27       \$312, 882         CIP2       0       \$0         COP-W       0       \$0         CSLA       0       \$0         Brain Injury       0       \$0         Total COP/Wyrs       81       \$418, 994	Fundi ng Per capi ta Total \$2,930,926 \$26.94 Local Taxes \$1,168,816 \$10.74  LI CENSED ESTABLI SHMENTS				
55-64 4, 920 4, 730 9, 660 65-74 3, 550 3, 010 6, 550 75-84 3, 000 1, 970 4, 960 85+ 1, 540 580 2, 120 Total 56, 080 52, 930 109, 010	\$32,179 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 36 10 Camps 1,042 8 Hotels, Motels 2,148 41 Tourist Rooming 12 5 Pools 55				
Age Female Male Total 0-17 12,710 13,010 25,710 18-44 22,670 22,100 44,770 45-64 12,610 12,260 24,890	* Waiver costs reported here include federal funding.  Clients Costs Eligible and Waiting 2 n/a	Tourist Rooming 12 5 Pools 55 Restaurants 476 Vending 8				
65+ 8,090 5,560 13,630 Total 56,080 52,930 109,010 Poverty Estimates for 2000	Waiting 2 n/a Family Care 1,750 \$29,102,824	WIC PARTICIPANTS				
Estimate (C.I.+/-)  All ages 11,411 530  10.7% (5%)  Ages 0-17 2,449 192  9.7% (8%)	Note: In 2003 this county operated under the Family Care waiver. Eligible and waiting clients are phased into Family Care. Hence, clients can incur costs for both	Pregnant/Postpartum 1,073 Infants 1,075 Children, age 1-4 1,429 Total 3,577				
Average wage for jobs covered by unemployment compensation \$29,982 (place of work)	COP/wai vers and Family Care.  Home Health Agencies 4 Patients 581 Patients per 10,000 pop. 53	Primary Site Breast 101 Cervical 3 Colorectal 69				
Labor Force Estimates Average  Civilian Labor Force 62,650 Number employed 59,827 Number unemployed 2,823 Unemployment rate 4.5%	Nursing Homes 8 Li censed beds 963 Occupancy rate 87. 2% Residents on Dec. 31 869 Residents age 65 or older per 1,000 population 57	Lung and Bronchus 63 Prostate 75 Other sites 233 Total 544				
Unempl oyment rate 4.5%	per 1,000 population 57	Note: Totals shown are for i nvasi ve cancers only.				

			NAT	ALLTY				
TOTAL LIVE BIRTHS		1, 247	Birth Order	Bi rths	Percent	Marital Status		İ
TOTAL ETTE BITCHIO		1,217	First	506	41	of Mother	Bi rths	Percent
Crude Live Birth Rate	4	11. 4	Second	417	33	Marri ed	917	74
General Fertility Rat		48. 6	Thi rd	196	16	Not married	330	26
deficial relitivity Nat		40.0	Fourth or higher	128	10	Unknown	0	0
Live hirths with repo	rtod		Unknown	0	0	UTIKITOWIT	U	U
Live births with repo congenital anomalies	ກ teu	3. 0%	ULIKLIOWIT	U	U	Education		
congeni tai anomaires	3	3.0%				Education of Mother	D: mtho	Percent
Dolivery Tyre	D: m+ha	Damaant	1at Dwamatal Viait	D: mtho	Donoont		Bi rths	
Delivery Type	BITTIS	Percent	1st Prenatal Visit		Percent	Elementary or l	ess 10	1
Vagi nal after	0.1	•	1st trimester	1, 073	86	Some high school	94	8
_previ ous cesarean	31	2	2nd trimester	149	12	High school	308	25
Forceps	18	_1	3rd trimester	23	2	Some college	381	31
Other vaginal	931	2 1 75 13 8	No visits	2	<. 5	College graduate		36
Primary česarean	162	13	Unknown	0	0	Unknown	10	1
Repeat cesarean	105	8						
			Prenatal Visits		Percent	Smoking Status		
Birthweight	Bi rths	Percent	No visits	2	<. 5	of Mother	Bi rths	Percent
<1,500 gm	16	1. 3	1-4	26	2	Smoker	160	13
1,500-2,499 gm	74	5. 9	5-9	394	32	Nonsmoker	1, 084	87
2,500+ gm	1, 156	92. 7	10-12	417	33	Unknown	3	<. 5
Unknown	16 74 1, 156	<. 5	13+	406	33			
			Unknown	2	<. 5			
l .								
			Low Birthweight		Tri mest	ter of First Prenata		
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P		(under 2,500 gm) Births Percent		imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	1, 119	90	(under 2,500 gm) Births Percent 80 7.1	Bi rths 997	imester Percent 89	2nd Trimester Births Percent 105 9	Other/ Bi rths 17	Percent 2
White Black/Afr. American	1, 119 23	90 2	(under 2,500 gm) Births Percent	Bi rths 997 16	i mester Percent 89 70	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American	1, 119 23	90 2 1	(under 2,500 gm) Births Percent 80 7.1 1 4.3	Bi rths 997 16 10	i mester Percent 89 70 100	2nd Trimester Births Percent 105 9 5 22	Other/ Bi rths 17 2	Percent 2 9
White Black/Afr. American	1, 119 23	90 2 1	(under 2,500 gm) Births Percent 80 7.1	Bi rths 997 16	i mester Percent 89 70	2nd Trimester Births Percent 105 9 5 22	Other/ Bi rths 17 2	Percent 2 9 8
White Black/Afr. American	1, 119 23	90 2 1 2 5	(under 2,500 gm) Births Percent 80 7.1 1 4.3 . 4 16.7 4 7.0	Bi rths 997 16 10	imester Percent 89 70 100 58 47	2nd Trimester Births Percent 105 9 5 22 8 33 27 47	Other/ Bi rths 17	Percent 2 9 8
White Black/Afr. American	1, 119 23	90 2	(under 2,500 gm) Births Percent 80 7.1 1 4.3 . 4 16.7	Bi rths 997 16 10 14	i mester Percent 89 70 100 58	2nd Trimester Births Percent 105 9 5 22 8 33	0ther/ Bi rths 17 2	Percent 2 9
White Black/Afr. American	1, 119 23	90 2 1 2 5	(under 2,500 gm) Births Percent 80 7.1 1 4.3 4 16.7 4 7.0 1 7.1	Bi rths 997 16 10 14 27	i mester Percent 89 70 100 58 47 64	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	0ther/ Bi rths 17 2 2 3 1	Percent 2 9 8
White Black/Afr. American	1, 119 23 10 24 57 14	90 2 1 2 5 1	(under 2,500 gm) Births Percent 80 7.1 1 4.3 . 4 16.7 4 7.0 1 7.1	Bi rths 997 16 10 14 27 9	imester Percent 89 70 100 58 47 64	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	0ther/ Births 17 2 2 3 1	Percent 2 9 8 5 7
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	1, 119 23 10 24 57 14	90 2 1 2 5 1 	(under 2,500 gm) Births Percent 80 7.1 1 4.3 . 4 16.7 4 7.0 1 7.1  Low Birthweight (under 2,500 gm)	Bi rths 997 16 10 14 27 9 	i mester Percent 89 70 100 58 47 64 Tri mest	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	0ther/ Births 17 2 2 3 1 al Visit 0ther/	Percent 2 9
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother	1, 119 23 10 24 57 14	90 2 1 2 5 1	(under 2,500 gm) Births Percent 80 7.1 1 4.3 . 4 16.7 4 7.0 1 7.1	Bi rths 997 16 10 14 27 9 	imester Percent 89 70 100 58 47 64	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	0ther/ Births 17 2 2 3 1 al Visit 0ther/	Percent 2 9 8 5 7
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15	1, 119 23 10 24 57 14 Fe Bi rths	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths	imester Percent 89 70 100 58 47 64 Trimester Percent	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	Other/ Bi rths 17 2 2 3 1 al Vi si t Other/ Bi rths	Percent 2 9 . 8 5 7  'Unknown Percent .
Whi te BI ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17	1, 119 23 10 24 57 14 Fe Bi rths 1 34	90 2 1 2 5 1 	(under 2,500 gm) Births Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths *	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7 /Unknown Percent . 6
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown Age of Mother <15 15-17 18-19	1, 119 23 10 24 57 14 	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths *	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71	2nd Trimester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenata 2nd Trimester Births Percent * 10 29 19 26	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7 /Unknown Percent . 6
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	1, 119 23 10 24 57 14 	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenata 2nd Tri mester Births Percent * 10 29 19 26 48 18	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7 /Unknown Percent . 6 3 5
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	1, 119 23 10 24 57 14 Fe Bi rths 1 34 73 270 381	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209 351	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77 92	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenate 2nd Tri mester Births Percent * 10 29 19 26 48 18 25 7	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7  'Unknown Percent .
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	1, 119 23 10 24 57 14 	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenata 2nd Tri mester Births Percent * 10 29 19 26 48 18	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7 /Unknown Percent . 6 3 5
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	1, 119 23 10 24 57 14 Fe Bi rths 1 34 73 270 381 326	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209 351 297	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77 92 91	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenate 2nd Tri mester Births Percent * 10 29 19 26 48 18 25 7 29 9	0ther/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7  Unknown Percent . 6 3 5 1
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	1, 119 23 10 24 57 14 Fee Bi rths 1 34 73 270 381 326 141	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209 351 297 125	imester Percent 89 70 100 58 47 64 Trimester Percent . 65 71 77 92 91 89	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenate 2nd Tri mester Births Percent * 10 29 19 26 48 18 25 7	Other/ Bi rths 17 2 2 3 1 	Percent 2 9 . 8 5 7 /Unknown Percent . 6 3 5
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	1, 119 23 10 24 57 14 Fe Bi rths 1 34 73 270 381 326	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3	Bi rths 997 16 10 14 27 9  1st Tr Bi rths * 22 52 209 351 297	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77 92 91	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29 ter of First Prenate 2nd Tri mester Births Percent * 10 29 19 26 48 18 25 7 29 9 15 11	0ther/Births 17 2	Percent 2 9 . 8 5 7 /Unknown Percent . 6 3 5 1 . 1
Whi te BI ack/Afr. Ameri can Ameri can I ndi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	1, 119 23 10 24 57 14 Fe Bi rths 1 34 73 270 381 326 141 21	90 2 1 2 5 1 	(under 2,500 gm) Bi rths Percent 80 7.1 1 4.3 4 16.7 4 7.0 1 7.1  Low Bi rthwei ght (under 2,500 gm) Bi rths Percent * 4 11.8 7 9.6 16 5.9 29 7.6 24 7.4 9 6.4 1 4.8	Bi rths 997 16 10 14 27 9  1st Tr Bi rths 22 209 351 297 125 17	i mester Percent 89 70 100 58 47 64 Tri mest i mester Percent . 65 71 77 92 91 89 81 .	2nd Tri mester Births Percent 105 9 5 22 8 33 27 47 4 29	Other/Births 17 2 3 1	Percent 2 9 . 8 5 7 /Unknown Percent . 6 3 5 1 . 1 10 .

MORBIDITY			MOI	RTALLTY			
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.  Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Campyl obacter Enteritis Gi ardi asi s Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngitis, Aseptic Meni ngitis, Bacterial Mumps Pertussis Sal monel losis Shi gel losis Sal services Sal monel losis Shi gel losis	TOTAL DEATHS Crude Death Ra  Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	Deaths 3 2 3 13 72 83 124 262 307	875 803 Rate   237 860 1,892 5,276 14,476	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lur Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza Accidents Motor vehicle Diabetes Infect./Parasitic Disease	139 128 192 176 192 176 193 59 54 194 195 195 195 195 195 195 195 195 195 195		
Tuberculosis 0  * 2003 provisional data.  ** Includes all positive HBsAg test results.	Infant Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 6 5 1	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	oulation. SE AS UNDERLYING		
Sexually Transmitted Disease Chlamydia Trachomatis 326 Genital Herpes 71 Gonorrhea 16 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	5 1	·	Al cohol Other Drugs Both Mentioned * Includes tobacco us	se (see page 7). CLE CRASHES		
Children in Grades K-12 by Compliance Level Compliant 18,645 Non-compliant 162 Percent Compliant 99.1	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal	1 2 Deaths	Rate	Note: These data are of crash, not  Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	on residence.  Persons Persons Injured Killed 1,052 3 112 2  94 0 84 0 46 0 39 1		

		Per	Average		Charge			Per	Average		Charge
DI SEASE /		1,000	Staÿ	Average	Per	DI SEASE /		1,000	Stay	Average	Per
AGE GROUP N	umber	Pop	(Days)		Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related: A	H					Al cohol -Rel ated	d				
Total	977	9. 0	4. 1	\$16, 643	\$149	Total	456	4. 2	4. 1	\$6,006	\$25
<18 18-44	94	3. 7	3. 3	\$14, 388	\$53	18-44	216	4. 8	3. 7	\$4,866	\$23
18-44	262	5. 9	3. 7	\$15, 360	\$90	45-64	212	8. 5	4. 5	\$6, 932	\$59
45-64	250	10. 0		\$19,042	\$191	Pneumonia and I	nfl uenza			•	
45-64 65+	371	27. 2		\$16, 504	\$449	Total	363	3. 3	3. 7	\$9, 927	\$33
Injury: Hip Fra	cture			•	•	<18 45-64 65+	33	1. 3	2. 3	\$4, 732	\$6
Total		1. 0	5. 4	\$20, 811	\$21	45-64	54	2. 2	3. 9	\$12, 283	\$27
65+	96	7. 0	5. 3	\$20, 447	\$144	65+	252	18. 5	3. 9	\$10, 198	\$188
Injury: Poisoni	ngs			•		Cerebrovascul ar	Di sease			•	
Total	<b>Ŭ</b> 141	1. 3	4. 0	\$10,042	\$13	Total	206	1. 9	4. 6	\$16, 425	\$31
18-44	66	1. 5		\$10,004	\$15	45-64	50	2. 0	5. 8	\$21, 758	\$44
				•		65+	144	10. 6	4. 3	\$13, 969	\$147
Psychi atri c						Chronic Obstruc	ctive Pulm	onary D			
Ťotal	870	8. 0	9. 1	\$11, 732	\$94	Total	182	1. 7	3. 2	\$9, 273	\$15
<18	67	2. 6		\$11, 198	\$29	<18	11				
18-44	487	10. 9	8. 6	\$10, 805	\$118	<18 18-44 45-64 65+ Drug-Rel ated	13				
45-64 65+	232	9. 3	8. 8	\$12, 330	\$115	45-64	47	1. 9	3. 0	\$9, 395	\$18
65+	84	6. 2	9. 5	\$15, 884	\$98	65+	111	8. 1	3. 4	\$9, 724	\$79
						Drug-Rel ated					
Coronary Heart Di:	sease					i lotai	60	0.6	10. 0	\$9, 185	\$5
Total	549	5. 0		\$28, 154	\$142	18-44	39	0. 9	6. 0	\$5, 343	\$5
45-64	189	7. 6	3. 1	\$29, 176	\$222						
65+	336	24. 6	3. 9	\$26, 781	\$660	Total Hospitali	zati ons				
						Total	11, 628	106. 7	3. 8	\$12, 332	\$1, 316
Malignant Neoplas	ms (Car	ncers):	Al I			<18	1, 903	74.0	3. 3	\$6,028	\$446
Total	407	3. 7	5. 9	\$23, 804	\$89	<18 18-44 45-64	3, 341	74. 6	3. 5	\$9, 834	\$734
18-44 45-64	27	0.6	2. 2	\$14, 241	\$9	45-64	2, 560	102. 9	4. 1	\$15, 273	\$1, 571
45-64	152	6. 1	5. 5	\$22, 718	\$139	65+	3, 824	280. 3	4. 3	\$15, 684	\$4, 396
65+	220	16. 1		\$23, 535	\$380						
Neoplasms: Fema	le Brea	ast (ra	ites for	female po	pul ati on)	PF	REVENTABLE		ALI ZATI		
Total	39	0.7	2. 3	\$13, 587 <sup>°</sup>	\$9	Total	1, 215	11. 1	3. 3	\$9, 558	\$107
Neoplasms: Colo	-rectal					<18	89	3. 5	1. 9	\$4,580	\$16
Total	47	0. 4		\$33, 507	\$14	18-44	130	2. 9	2. 4	\$8, 547	\$25
65+	31	2. 3	9. 0	\$31, 679	\$72	45-64 65+	246	9. 9	3. 2	\$10, 360	\$102
Neoplasms: Lung						65+	750	55.0	3. 6	\$10,061	\$553
Total	36	0. 3	7. 9	\$29, 412	\$10						
Di abetes						* Hospitalizations	s for cond	itions	where t	imely and	effecti v
Total	102	0. 9	3. 6	\$11, 112	\$10	* Hospitalizations ambulatory care ca	an reduce	the lik	cel i hood	of hospi	tal i zati c
65+	41	3. 0	4. 1	\$10, 223	\$31					i.	